



AD 230 | AD250

- 30|55 ℓ/day extraction
- Covers upto 5000|6500 cu. ft
- 660 | 1000 watts
- Size(WxDxH) 26"x10"x31"
- Weight 40|42kg
- Tank-Hose Connector
- Air flow 870 |1000 m³/hr
- Noise Level - 75db (A)

AD 420|AD430

- 19|30.5 ℓ/day extraction
- Covers upto 3000|4000 cu. ft
- 420|540 watts
- Size(WxDxH) 13"x14"x20"|13"x15"x23"
- Weight 13|20kg
- Tank-8.31ℓ or Tube Connector
- Air flow 315|600 m³/hr
- Noise Level - 50|53db (A)

AD 580

- 78 ℓ/day extraction
- Covers upto 8500 cu. ft
- 1400 watts
- Size(WxDxH) 19"x20"x32"
- Weight 55kg
- Tank-161ℓ or Tube Connector
- Air flow 820 m³/hr
- Noise Level - 55db (A)

AD 750

- 55 ℓ/day extraction
- Covers upto 6000 cu. ft
- 900 watts
- Size(WxDxH) 20"x19"x35"
- Weight 42kg
- Tank-121ℓ or Tube Connector
- Air flow 710 m³/hr
- Noise Level - 53db (A)

AD 810

- 105 ℓ/day extraction
- Covers upto 10500 cu. ft
- 1500 watts
- Size(WxDxH) 25"x21"x40"
- Weight 70kg
- Tank-Installed condensate pump
- Air flow 1300 m³/hr
- Noise Level - 60db (A)



ND 290-i

- 12 ℓ/day extraction
- Covers upto 150 sq. ft
- 180 watts
- Size(WxDxH) 12"x8"x20"
- Weight 11kg
- Tank capacity 3.5 ℓ
- Air flow 150 m³/hr
- Noise Level - 35db

ND 316 | ND 320

- 16 ℓ|20 ℓ/day extraction
- Covers upto 200|250 sq ft
- 320 watts | 360 watts
- Size(WxDxH) 13"x9"x22"
- Weight 13kg | 13.3 kg
- Tank capacity 3 ℓ
- Airflow 150 m³/hr|200 m³/hr
- Noise Level - 38db

ND 322

- 22 ℓ/day extraction
- Covers upto 250 sq ft
- 360 watts
- Size(WxDxH) 13"x14"x23"
- Weight 13kg
- Tank capacity 4.5 ℓ
- Air flow 165 m³/hr
- Noise Level - 35db

ND 330

- 30 ℓ/day extraction
- Covers upto 350 sq ft
- 470 watts
- Size(WxDxH) 11"x15"x23"
- Weight 13.5kg
- Tank capacity 3.7 ℓ
- Air flow 165 m³/hr
- Noise Level - 38db

ND 390-i

- 35 ℓ/day extraction
- Covers upto 350 sq ft
- 530 watts
- Size(WxDxH) 15"x11"x24"
- Weight 14.2kg
- Tank capacity 6.5 ℓ
- Air flow 220 m³/hr
- Noise Level - 49db

ND 690

- 50 ℓ/day extraction
- Covers upto 500 sq ft
- 740 watts
- Size(WxDxH) 15"x11"x23"
- Weight 20kg
- Tank capacity 8 ℓ
- Air flow 310 m³/hr
- Noise Level - 42db



FDNF 44

- 36 ℓ/day extraction
- Covers upto 3000-3500 cu. ft
- 780 watts
- Size(WxDxH) 14"x15"x28"
- Weight 38kg
- Tank- 9 ℓ
- Air flow 400 cm/hr
- Noise Level - 43db (A)

FDNF 62

- 52 ℓ/day extraction
- Covers upto 4500-5000 cu. ft
- 950 watts
- Size(WxDxH) 18"x16"x30"
- Weight 44kg
- Tank- 12 ℓ
- Air flow 650 cm/hr
- Noise Level - 51db (A)

FDNF 96

- 80 ℓ/day extraction
- Covers upto 8000-8500 cu. ft
- 1350 watts
- Size(WxDxH) 22"x16"x35"
- Weight 52kg
- Tank- 15 ℓ
- Air flow 1000 cm/hr
- Noise Level - 52db (A)

4 GLOBAL BRANDS

26+ PLUG N PLAY MODELS

16+ YEARS OF EXPERTISE

4000+ CUSTOMERS SERVED